

IZJAVA O SVOJSTVIMA

DoP Br. MKT-1.1-200 hr

→ Jedinstvena identifikacijska oznaka vrste

proizvoda:

Wedge sidro B

♦ Namjena/namjene:

Mehaničko sidro za sidrenje u betonu,

vidi Prilog/Annex B

♦ Proizvodač:

MKT Metall-Kunststoff-Technik GmbH & Co.KG

Auf dem Immel 2 67685 Weilerbach

♦ Sustav/sustavi za ocjenu i provjeru

stalnosti svojstava (AVCP):

1

→ Europski dokument za ocjenjivanje:

EAD 330232-01-0601 ETA-01/0013, 17.09.2020

Europska tehnička ocjena:

DIBt, Berlin

Tijelo za tehničko ocjenjivanje: Prijavljeno tijelo/prijavljena tijela:

NB 2873 - Technische Universität Darmstadt

♦ Objavljena svojstva:

| Bitnih značajka | Svojstva | | | | |
|--|--|--|--|--|--|
| Temeljni zahtjevi za gradevine (BWR 1) | | | | | |
| Karakteristična otpornost pod naprezanjem (statički i kvazistatički učinci) | Prilog/Annex B4, C1, C2 | | | | |
| Karakteristična otpornost pod lateralnim stresom (statički i kvazistatički učinci) | Prilog/Annex C3 | | | | |
| Pomaci (statički i kvazistatički učinci) | Prilog/Annex B1, C4 | | | | |
| Karakteristični otpor i pomicanja za seizmičku izvedbu C1 + C2 | NPD (No Performance Determined) bez utvrđenog svojstva | | | | |
| Sigurnost u slučaju požara (BWR 2) | | | | | |
| Ponašanje požara | Klasa A1 | | | | |
| Otpornost na vatru | NPD (No Performance Determined) bez utvrđenog svojstva | | | | |

Prije utvrđeno svojstvo proizvoda u skladu je s objavljenim svojstvima. Ova izjava o svojstvima izdaje se, u skladu s Uredbom (EU) br. 305/2011, pod isključivom odgovornošću prethodno utvrđenog proizvođača.

Za proizvođača i u njegovo ime potpisao:

(generalni direktor) Weilerbach, 23.10.2020 Dipl.-Ing. Detlef Bigalke (Voditelj razvoja proizvoda)



Izvornik ove izjave o izvedbi pisan je na njemačkom jeziku. U slučaju odstupanja u prijevodu vrijedi njemačka verzija.

Specifications of intended use

| B/B fvz/ | B sh / B A2 / B A4 / B HCR | М6 | M8 | M10 | M12 | M16 | M20 | | |
|----------|--------------------------------|-----|----------|-----|-----|-----|-----|--|--|
| В | electroplated | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| B fvz | hot-dip galvanized | - | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| B sh | sherardized | ✓ | √ | ✓ | ✓ | ✓ | ✓ | | |
| B A2 | stainless steel | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| B A4 | stainless steel | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| B HCR | high corrosion resistant steel | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| All | static or quasi-static action | ✓ · | | | | | | | |
| versions | uncracked concrete | | | ٧ | | | | | |

Base materials:

- Reinforced or unreinforced normal weight concrete according to EN 206:2013 + A1:2016
- Strength classes C20/25 to C50/60 according to EN 206:2013 + A1:2016

Use conditions (Environmental conditions):

- Structures subject to dry internal conditions (all materials)
- For all other conditions:

| Anchor version | Use according to EN 1993-1-4:2015 corresponding to the corrosion resistance class CRC according to Annex A, Table A.2 |
|----------------|---|
| B A2 | CRC II |
| B A4 | CRC III |
| B HCR | CRC V |

Design:

- Anchorages are designed under the responsibility of an engineer experienced in anchorages and concrete work
- Verifiable calculation notes and drawings are prepared taking account of the loads to be anchored. The
 position of the anchor is indicated on the design drawings (e.g. position of the anchor relative to
 reinforcement or to supports, etc.)
- Anchorages are designed according to EN 1992-4:2018 or TR 055

Installation:

- Hole drilling by hammer drill bit or vacuum drill bit
- Use of the fastener only as supplied by the manufacturer without exchanging the components of the fastener

| Wedge Anchor B / B fvz / B sh / B A2 / B A4 / B HCR | |
|---|----------|
| Intended use Specifications | Annex B1 |

Installation parameters Effective embedment depths hef.1 Tinst h_{ef,1} t_{fix 1} h_{nom.1} h_{1,1} Effective embedment depths hef,2 t_{fix 2} h_{ef 2} h_{nom 2} h_{1,2} Effective embedment depths hef,3 h_{ef 3} h_{nom 3} h_{1,3} Wedge Anchor B / B fvz / B sh / B A2 / B A4 / B HCR Annex B2 Intended use

Installation parameters

Table B1: Installation parameters

| Anch | Anchor size | | | | М8 | M10 | M12 | M16 | M20 |
|--------------------|--|-------------------------|------|------|------|-------|------|-----------|-------|
| Nom | Nominal drill hole diameter d ₀ = | | [mm] | 6 | 8 | 10 | 12 | 16 | 20 |
| Cuttii | ng diameter of drill bit | $d_{\text{cut}} \leq$ | [mm] | 6,40 | 8,45 | 10,45 | 12,5 | 16,5 | 20,55 |
| enb. | В | T _{inst} = | [Nm] | 8 | 15 | 30 | 50 | 100 | 200 |
| on tor | B fvz | T _{inst} = | [Nm] | ı | 15 | 30 | 40 | 90 | 120 |
| nstallation torque | B sh | T _{inst} = | [Nm] | 5 | 15 | 30 | 40 | 90 | 120 |
| Inst | B A2 / B A4 / B HCR | T _{inst} = | [Nm] | 6 | 15 | 25 | 50 | 100 | 160 |
| | eter of clearance hole e fixture | $d_f \! \leq \!$ | [mm] | 7 | 9 | 12 | 14 | 18 | 22 |
| Emb | edment depth h _{ef,1} | | | | | | | | |
| Effec | tive embedment depth | $h_{\text{ef},1} \geq$ | [mm] | 30 | 35 | 42 | 50 | 64 | 78 |
| Dept | h of drill hole | $h_{1,1}\geq$ | [mm] | 45 | 55 | 65 | 75 | 95 | 110 |
| Emb | edment depth | $h_{\text{nom},1} \geq$ | [mm] | 39 | 47 | 56 | 67 | 84 | 99 |
| Emb | edment depth h _{ef,2} | | | | | | | | |
| Effec | tive embedment depth | $h_{\text{ef},2} \geq$ | [mm] | 40 | 44 | 48 | 65 | 82 (80)1) | 100 |
| Dept | h of drill hole | $h_{1,2}\geq$ | [mm] | 55 | 65 | 70 | 90 | 110 | 130 |
| Emb | edment depth | $h_{\text{nom},2} \geq$ | [mm] | 49 | 56 | 62 | 82 | 102 | 121 |
| Emb | edment depth h _{ef,3} | | | | | | | | |
| Effec | tive embedment depth | $h_{\text{ef},3} \geq$ | [mm] | 60 | 70 | 80 | 100 | 120 | 115 |
| Dept | h of drill hole | h _{1,3} ≥ | [mm] | 75 | 91 | 102 | 125 | 148 | 145 |
| Emb | edment depth | h _{nom,3} ≥ | [mm] | 69 | 82 | 94 | 117 | 140 | 136 |

¹⁾ Anchor version B A2 / B A4 / B HCR

Table B2: Minimum spacings and edge distances for B / B fvz1) / B sh

| Anchor size | | | M6 | M8 | M10 | M12 | M16 | M20 | | | |
|-----------------------------------|-----------------------------------|------|-----|-----|-----|-----|-----|-----|--|--|--|
| Embedment depth hef,1 | Embedment depth h _{ef,1} | | | | | | | | | | |
| Minimum member thickness | h_{min} | [mm] | 80 | 80 | 100 | 100 | 130 | 160 | | | |
| Minimum spacing | Smin | [mm] | 35 | 40 | 55 | 100 | 100 | 140 | | | |
| Minimum edge distance | C _{min} | [mm] | 40 | 45 | 65 | 100 | 100 | 140 | | | |
| Embedment depth h _{ef,2} | | | | | | | | | | | |
| Minimum member thickness | h_{min} | [mm] | 100 | 100 | 100 | 130 | 170 | 200 | | | |
| Minimum spacing | Smin | [mm] | 35 | 40 | 55 | 75 | 90 | 105 | | | |
| Minimum edge distance | C _{min} | [mm] | 40 | 45 | 65 | 90 | 105 | 125 | | | |
| Embedment depth h _{ef,3} | | | | | | | | | | | |
| Minimum member thickness | h _{min} | [mm] | 120 | 126 | 132 | 165 | 208 | 215 | | | |
| Minimum spacing | Smin | [mm] | 35 | 40 | 55 | 75 | 90 | 105 | | | |
| Minimum edge distance | C _{min} | [mm] | 40 | 45 | 65 | 90 | 105 | 125 | | | |

¹⁾ Anchor version B fvz: M8-M20

Table B3: Minimum spacings and edge distances for B A2 / B A4 / B HCR

| Anchor size | | | М6 | M8 | M10 | M12 | M16 | M20 |
|-----------------------------------|------------------|------|-----|-----|-----|-----|-----|-----|
| Embedment depth h _{ef,1} | | | | | | | | |
| Minimum member thickness | h_{min} | [mm] | 80 | 80 | 100 | 100 | 130 | 160 |
| Minimum spacing | Smin | [mm] | 35 | 60 | 55 | 100 | 110 | 140 |
| Minimum edge distance | C _{min} | [mm] | 40 | 60 | 65 | 100 | 110 | 140 |
| Embedment depth h _{ef,2} | | | | | | | | |
| Minimum member thickness | h_{min} | [mm] | 100 | 100 | 100 | 130 | 160 | 200 |
| NAI | Smin | [mm] | 35 | 35 | 45 | 60 | 80 | 100 |
| Minimum spacing | for c ≥ | [mm] | 40 | 65 | 70 | 100 | 120 | 150 |
| Minimum adap diatama | C _{min} | [mm] | 35 | 45 | 55 | 70 | 80 | 100 |
| Minimum edge distance | for s ≥ | [mm] | 60 | 110 | 80 | 100 | 140 | 180 |
| Embedment depth h _{ef,3} | | | | | | | | |
| Minimum member thickness | h_{min} | [mm] | 120 | 126 | 132 | 165 | 200 | 215 |
| Minimum | Smin | [mm] | 35 | 35 | 45 | 60 | 80 | 100 |
| Minimum spacing | for c ≥ | [mm] | 40 | 65 | 70 | 100 | 120 | 150 |
| Minimum edge distance | C _{min} | [mm] | 35 | 45 | 55 | 70 | 80 | 100 |
| | for s ≥ | [mm] | 60 | 110 | 80 | 100 | 140 | 180 |


Intermediate values by linear interpolation

Intended use

Minimum spacings and edge distances

Annex B4

Installation instructions



Wedge Anchor B / B fvz / B sh / B A2 / B A4 / B HCR

Table C1: Characteristic values for tension loads for B / B fvz¹⁾ / B sh

| Anchor size | | | | М6 | М8 | M10 | M12 | M16 | M20 |
|---|-----------------------|---|--|-------------------|--|------|---|---|---|
| Installation factor | | | | 1 | ,0 | | | | |
| Steel failure | | | | | | | | | |
| Characteristic resistance | | $N_{Rk,s}$ | [kN] | 8,7 | 15,3 | 26 | 35 | 65 | 107 |
| Partial factor | | γMs | [-] | | 1, | 5 | | 1 | ,6 |
| Pull-out | | | | | | | | | |
| Characteristic resistance | for h _{ef,1} | N _{Rk,p} | [kN] | 6,5 ²⁾ | 10,2 2) | 13,4 | 17,4 | 25,2 | 33,9 |
| in uncracked concrete | for h _{ef,2} | N _{Rk,p} | [kN] | 10 | 13 | 16,4 | 25,8 | 36,5 | 49,2 |
| C20/25 | for h _{ef,3} | N _{Rk,p} | [kN] | 10 | 13 | 16,4 | 26 | 40 | 55 |
| Increasing factor for N _{Rk,p} | | ψc | [-] | | $\left(\frac{f_{ck}}{20}\right)^{0,5}$ | | $\left(\frac{f_{ck}}{20}\right)^{0,29}$ | $\left(\frac{f_{ck}}{20}\right)^{0,33}$ | $\left \left(\frac{f_{ck}}{20} \right)^{0,5} \right $ |
| Splitting | | | | | | | | | |
| Characteristic resistance in uncracked concrete C20/2 | 25 | [kN] | min [N _{Rk,p} ; N ⁰ _{Rk,c} ³⁾] | | | | | | |
| Embedment depth h _{ef,1} | | ' | | | | | | | |
| Spacing | | S _{cr,sp} | [mm] | 180 | 210 | 230 | 240 | 320 | 400 |
| Edge distance | | C _{cr,sp} | [mm] | 90 | 105 | 115 | 120 | 160 | 200 |
| Embedment depth h _{ef,2} | | | | | | | | | |
| Spacing | | S _{cr,sp} | [mm] | 160 | 220 | 240 | 330 | 410 | 500 |
| Edge distance | | C cr,sp | [mm] | 80 | 110 | 120 | 165 | 205 | 250 |
| Embedment depth h _{ef,3} | | | | | | | | | |
| Spacing | | S _{cr,sp} | [mm] | 360 | 240 | 480 | 600 | 720 | 690 |
| Edge distance | | C cr,sp | [mm] | 180 | 210 | 240 | 300 | 360 | 345 |
| Concrete cone failure | | | | | | | | | |
| | | $\text{for } h_{\text{ef},1}\!\geq\!$ | [mm] | 30 ²⁾ | 35 ²⁾ | 42 | 50 | 64 | 78 |
| Effective embedment depth | | $\text{for } h_{\text{ef},2} \! \geq \!$ | [mm] | 40 | 44 | 48 | 65 | 82 | 100 |
| | | for $h_{\text{ef,3}} \ge$ | [mm] | 60 | 70 | 80 | 100 | 120 | 115 |
| Spacing | [mm] | | | 3 h _e | f (1,2,3) | | | | |
| Edge distance | [mm] | 1,5 h _{ef (1,2,3)} | | | | | | | |
| Factor uncracked | concrete | k ucr,N | [-] | | | 11 | 1,0 | | |
| cracked co | ncrete | k _{cr,N} [-] No performance asse | | | | | | | |

¹⁾ Anchor version B fvz: M8-M20

Wedge Anchor B / B fvz / B sh / B A2 / B A4 / B HCR

²⁾ Restricted to the use of structural components with h_{ef} < 40mm which are statically indeterminate and subject to internal exposure conditions only

 $^{^{3)}}$ $N^0_{Rk,c}$ according to EN 1992-4:2018

Table C2: Characteristic values for tension loads for B A2 / B A4 / B HCR

| Partial factor | Anchor size | | | | М6 | M8 | M10 | M12 | M16 | M20 | | |
|---|---|------------------------------------|-----------------------|--------|---------------------|-------------|----------------------------------|--------------------------------------|------|------|--|--|
| Steel failure | Installation factor | | γinst | [-] | | | 1 | ,0 | | | | |
| Characteristic resistance | Steel failure | | • | | | | | | | | | |
| Partial factor YMS [-] 1,50 1,6 1,6 | Characteristic resistance | | $N_{Rk,s}$ | [kN] | 10 | 18 | 30 | 44 | 88 | 134 | | |
| Pull-out | Partial factor | | | [-] | | | 1,50 | | • | 1,68 | | |
| $ \begin{array}{c c c c c c c c c c c c c c c c c c c $ | Pull-out | | | | | | | | | | | |
| Characteristic resistance in uncracked concrete C20/25 for hef.2 hr.ks.p RRk.p (kN) 8 15 16,4 25 35,2 49 Increasing factor for NRk.p y/C [-] (fek) 0,0.5 25 42 66 Splitting Characteristic resistance in uncracked concrete C20/25 N°Rk.sp [kN] min [NRk.p.; N°Rk.c²] 1 Embedment depth hef.1 Spacing Scr.sp [mm] 180 18 | | for h _{ef,1} | N _{Rk,p} | [kN] | 6,5 ¹⁾ | 9 1) | 12 | 17,4 | 25,2 | 33,9 | | |
| Increasing factor for N _{Rk.p} KN R RN RN RN RN RN RN | | for h _{ef,2} | | [kN] | 8 | 15 | 16,4 | 25 | 35,2 | 49,2 | | |
| Increasing factor for N _{Rk,p} | | for h _{ef,3} | $N_{Rk,p}$ | [kN] | 8 | 15 | 16,4 | 25 | 42 | 60 | | |
| Characteristic resistance in uncracked concrete C20/25 N⁰Rk.sp [kN] min [NRk.p; N⁰Rk.c²] Embedment depth hef,1 socr.sp [mm] 180 190 | Increasing factor for N _{Rk,p} | | ψο | [-] | | | $\left(\frac{f_{ck}}{20}\right)$ | 0,5 | | | | |
| Case 1 Characteristic resistance in uncracked concrete C20/25 NO R.k.sp [RN] 180 18 | Splitting | | | | | | | | | | | |
| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | Characteristic resistance in | | N ⁰ Rk,sp | [kN] | | | min [N _{Rk} , | p; N ⁰ Rk,c ²⁾ |] | | | |
| | Embedment depth h _{ef,1} | | | | | | | | | | | |
| | Spacing | | S _{cr,sp} | [mm] | 180 | 180 | 180 | 180 | 180 | 180 | | |
| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | Edge distance | C _{cr,sp} | [mm] | 90 | 90 | 90 | 90 | 90 | 90 | | | |
| | Embedment depth hef,2 | | | | | • | • | • | • | • | | |
| | The higher one of the decisive | e resistan | ces of | Case 1 | and Case | 2 is applic | able | | | | | |
| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | = | | | | | | | | | | | |
| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | | N ⁰ Rk,sp | [kN] | 6 | 9 | 12 | 20 | 30 | 40 | | |
| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | | S _{cr,sp} | [mm] | | | 3 | h _{ef} | | • | | |
| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | Edge distance | | C _{cr,sp} | [mm] | | | 1,5 | h _{ef} | | | | |
| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | Increasing factor for N ⁰ _{Rk,sp} | | ψc | [-] | | | $\left(\frac{f_{ck}}{20}\right)$ | $\left(\frac{1}{100}\right)^{0.5}$ | | | | |
| | Case 2 | | | | | | | | | | | |
| | Spacing | | Scr,sp | [mm] | 160 | 220 | 240 | 340 | 410 | 560 | | |
| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | | C cr,sp | [mm] | 80 | 110 | 120 | 170 | 205 | 280 | | |
| | | | | | | | | | | | | |
| | | | Scr,sp | [mm] | | 240 | | | | 690 | | |
| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | | C _{cr,sp} | [mm] | 180 | 210 | 240 | 300 | 360 | 345 | | |
| | Concrete cone failure | | | | | | | | | | | |
| | | | | | | | | | | 78 | | |
| Spacing s _{cr,N} [mm] 3 h _{ef} Edge distance c _{cr,N} [mm] 1,5 h _{ef} uncracked concrete k _{ucr,N} [-] 11,0 | Effective Embedment depth | | | | | | | | | 100 | | |
| Edge distance c _{cr,N} [mm] 1,5 h _{ef} uncracked concrete k _{ucr,N} [-] 11,0 | | foi | ^ h _{ef,3} ≥ | | 60 | 70 | | | 120 | 115 | | |
| uncracked concrete k _{ucr,N} [-] 11,0 | | | | | | | | | | | | |
| I Factor | _ <u>`</u> | | C _{cr,N} | | 1,5 h _{ef} | | | | | | | |
| | Factor uncracked co | oncrete | k _{ucr,N} | | | | 11 | 1,0 | | | | |
| cracked concrete k _{cr,N} [-] No performance assessed | cracked co | cracked concrete k _{cr,N} | | | | | No performance assessed | | | | | |

¹⁾ Restricted to the use of structural components with h_{ef} < 40mm which are statically indeterminate and subject to internal exposure conditions only</p>

Wedge Anchor B / B fvz / B sh / B A2 / B A4 / B HCR

Performance

Characteristic values for tension loads for B A2 / B A4 / B HCR

Annex C2

²⁾ N⁰_{Rk,c} according to EN 1992-4:2018

Table C3: Characteristic values for shear loads

| Anchor size | Anchor size | | | | | M8 | M10 | M12 | M16 | M20 | |
|-----------------------------------|---|------------------------------|-----------------------|------|------------------|------------------|-----|-----|--------------------------|-----|--|
| Installation factor | | | γinst | [-] | | 1,0 | | | | | |
| Steel failure without le | ever arm | | | | | | | | | | |
| Characteristic | B / B fvz ¹⁾ / B sh | | $V^0_{Rk.s}$ | [kN] | 5 | 11 | 17 | 25 | 44 | 69 | |
| resistance | B A2 / B A4 | I / B HCR | $V^0_{Rk,s}$ | [kN] | 7 | 12 | 19 | 27 | 50 | 86 | |
| Ductility factor | | | k ₇ | [-] | | | | 1,0 | | | |
| Steel failure with leve | r arm | | | | | | | | | | |
| Characteristic bending | B / B fvz ¹⁾ / | B sh | M^0 Rk.s | [Nm] | 9 | 23 | 45 | 78 | 186 | 363 | |
| resistance | B A2 / B A4 / B HCR | | M^0 Rk,s | [Nm] | 10 | 24 | 49 | 85 | 199 | 454 | |
| Partial factor for | B / B fvz ¹⁾ / B sh | | γMs | [-] | 1,25 | | | | 1, | 33 | |
| $V^{0}_{Rk,s}$ and $M^{0}_{Rk,s}$ | B A2 / B A4 / B HCR γ ₁ | | | [-] | 1,25 | | | | | 1,4 | |
| Concrete pry-out failu | re | | | | | | | | | | |
| Factor for h ef | B / B fvz ¹⁾ / | B sh | k 8 | [-] | 1,0 | 2,3 | 2,5 | 2,9 | 2,8 | 3,1 | |
| Factor for flef | B A2 / B A4 | I / B HCR | k 8 | [-] | 1,0 | 2,3 | 2,8 | 2,8 | 3,0 | 3,3 | |
| Concrete edge failure | | | | | | | | | | | |
| | | for h ef,1 | I _f | [mm] | 30 ²⁾ | 35 ²⁾ | 42 | 50 | 64 | 78 | |
| Effective length of anch loading | Effective length of anchor in shear loading | | lf | [mm] | 40 | 44 | 48 | 65 | 82 (80) ³⁾ | 100 | |
| | | for h _{ef,3} | lf | [mm] | 60 | 70 | 80 | 100 | 120 | 115 | |
| Outside diameter of and | chor | | d_{nom} | [mm] | 6 | 8 | 10 | 12 | 16 | 20 | |

¹⁾ Anchor version B fvz: M8-M20

²⁾ Restricted to the use of structural components which are statically indeterminate and subject to internal exposure conditions only

³⁾ Anchor version B A2 / B A4 / B HCR

 Table C5:
 Displacements under tension loads

| Anchor size | | | М6 | M8 | M10 | M12 | M16 | M20 |
|-----------------------------------|-----------------|------|-----|-----|-----|------|------|------|
| Embedment depth h _{ef,1} | | | | | | | | |
| B / B fvz ¹⁾ / B sh | | | | | | | | |
| Tension load | N | [kN] | 2,9 | 5,0 | 6,5 | 8,5 | 12,3 | 16,6 |
| Displacement | δνο | [mm] | 0,3 | | | 0,4 | | |
| Displacement | δη∞ | [mm] | 0,6 | | | 1,8 | | |
| B A2 / B A4 / B HCR | | | | | | | | |
| Tension load | N | [kN] | 2,9 | 4,3 | 5,7 | 8,5 | 12,3 | 16,6 |
| Displacement | δνο | [mm] | 0,4 | 0,7 | 0,4 | 0,4 | 0,6 | 1,5 |
| | δ _{N∞} | [mm] | | | 1,3 | | | 2,9 |
| Embedment depth hef,2 and hef,3 | | | | | | | | |
| B / B fvz¹) / B sh | | | | | | | | |
| Tension load | N | [kN] | 4,3 | 5,8 | 7,6 | 11,9 | 16,7 | 23,8 |
| Diamlacament | δηο | [mm] | 0,4 | | | 0,5 | | |
| Displacement | δ _{N∞} | [mm] | 0,7 | | | 2,3 | | |
| B A2 / B A4 / B HCR | | | | | | | | |
| Tension load | N | [kN] | 3,6 | 5,7 | 7,6 | 11,9 | 17,2 | 24,0 |
| Displacement | δνο | [mm] | 0,7 | 0,9 | 0,5 | 0,6 | 0,9 | 2,1 |
| Displacement | δ _{N∞} | [mm] | | | 1,8 | | | 4,2 |

¹⁾ Anchor version B fvz: M8-M20

 Table C6:
 Displacements under shear loads

| Anchor size | | | М6 | M8 | M10 | M12 | M16 | M20 |
|--------------------------------|-----|------|-----|-----|------|------|------|------|
| B / B fvz ¹⁾ / B sh | | | | | | | | |
| Shear load | V | [kN] | 2,9 | 6,3 | 9,7 | 14,3 | 23,6 | 37,0 |
| Displacement - | δνο | [mm] | 1,2 | 1,5 | 1,6 | 2,6 | 3,1 | 4,4 |
| | δν∞ | [mm] | 2,4 | 2,2 | 2,4 | 3,9 | 4,6 | 6,6 |
| B A2 / B A4 / B HCR | | | | | | | | |
| Shear load | V | [kN] | 4,0 | 6,9 | 10,9 | 15,4 | 28,6 | 43,7 |
| Displacement - | δνο | [mm] | 1,1 | 2,0 | 1,2 | 2,0 | 2,2 | 2,1 |
| | δ∨∞ | [mm] | 1,7 | 3,0 | 1,8 | 3,0 | 3,3 | 3,2 |

¹⁾ Anchor version B fvz: M8-M20

| Wedge Anchor B / | B fvz / B sh | / B A2 / B | A4 / B HCR |
|------------------|--------------|------------|------------|
|------------------|--------------|------------|------------|

Performance Displacements Annex C4